

# INDEX MAPS.

## T. 4N, R. 5E. 2<sup>nd</sup> Mer.

	320		320		319-320		319-321		319-321		319-321	
328	6	347	5	340	4	386	3	382	2	327	1	319
	346		346		340		335		331		327	
323	7	345	8	340	9	335	10	331	11	326	12	318
	345		345		339		335		330		326	
322	18	344	17	339	16	334	15	330	14	326	13	318
	344		343		338		334		330		325	
322	19	343	20	338	21	334	22	329	23	326	24	318
	343		342		338		333		329		325	
322	30	342	29	337	28	333	27	329	26	324	25	317
	342		341		337		333		328		324	
321	31	341	32	336	33	332	34	328	35	323	36	317
	315		315-316		315-316		315-316		315-316		315-317	

## T. 5N, R. 5E. 2<sup>nd</sup> Mer.

	355		354		354		354		353		353	
357	6	379	5	373	4	369	3	365	2	361	1	353
	378		378		372		368		364		361	
356	7	378	8	372	9	368	10	364	11	360	12	352
	377		377		371		367		364		360	
356	18	379	17	371	16	367	15	363	14	359	13	352
	376		376		371		367		363		359	
356	19	376	20	370	21	366	22	362	23	357	24	352
	375		374		370		366		362		358	
355	30	374	29	370	28	366	27	362	26	358	25	351
	373		374		369		365		362		358	
355	31	373	32	369	33	365	34	361	35	357	36	351
	349-350		349-350		349-350		349-350		349-350		349-351	

The figures on the lines refer to the page.

Township N. 4 North, Range N. 5 East 3<sup>rd</sup> Mer. Indiana

### South Boundary

West On Rand<sup>m</sup> S. boundary Sec. 36, T4N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post. Over flat land

West On Rand<sup>m</sup> S. boundary of Sec. 35, T4N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post. Land timber &c. same

West On Rand<sup>m</sup> S. boundary of Sec. 34, T4N. R5E.

2.50 a Creek 100 lks. wide Course North

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post. Land, timber &c. same

West On Rand<sup>m</sup> S. boundary of Sec. 33, T4N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

75.00 a Brook 10 lks. wide Course North

80.00 Let temp<sup>y</sup>. Sec. post. Land &c. same flat

West On Rand<sup>m</sup> S. boundary of Sec. 32, T4N. R5E.

14.00 a Brook 20 lks. wide Course North

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

73.00 a Brook 15 lks. wide Course North

78.50 same 15 " " " S 80 E.

80.00 Let temp<sup>y</sup> Sec. post.

Good farming land, timber Beech, Oak & Hickory

West On Rand<sup>m</sup> S. boundary of Sec. 31, T4N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

76.37 intersected the N & S line 4.50 lks. South of the Town Corner

East On true line S. boundary of Sec. 31, T4N. R5E.

T4N R5E 2<sup>nd</sup> Mer. Indiana

- 36.37 Let the q. Sec. post on true line from which  
 a P. Oak 8 in. diam. bear N 89 W 13 lks. dist. of  
 a Do 12 " " " N 78 W 36 " "
- 76.37 Let a post Cor. to Sec. 31 & 32, from which  
 a Beech 10 in. diam. bear S 73 E 21 lks. dist. of  
 a Do 10 " " " N 62 W 9 " "

- East On true line S. boundary of Sec. 32, T4N, R5E.  
 40.00 Let the q. Sec. post on true line, from which  
 a P. Oak 12 in. diam. bear S 96 E 15 lks. dist. of  
 a Beech 5 " " " S 8 E 9 " "
- 80.00 Let a post Cor. to Sec. 32 & 33, from which  
 a W. Oak 20 in. diam. bear S 40 W 5 lks. dist. of  
 a Beech 10 " " " N 17 E 7 " "

- East On true line S. boundary of Sec. 33, T4N, R5E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Beech 10 in. diam. bear S 55 W 17 lks. dist. of  
 a Do 20 " " " N 39 E 22 " "
- 80.00 Let a post Cor. to Sec. 33 & 34, from which  
 a W. Oak 20 in. diam. bear N 60 E 11 lks. dist. of  
 a Beech 24 " " " S 87 W 23 " "

- East On true line S. boundary of Sec. 34, T4N, R5E.  
 40.00 Let the q. Sec. post on true line, from which  
 a Maple 10 in. diam. bear S 82 E 4 lks. dist. of  
 a Hickory 20 " " " N 46 E 13 " "
- 80.00 Let a post Cor. to Sec. 34 & 35, from which  
 a Beech 10 in. diam. bear N 56 W 30 lks. dist. of  
 a Do 15 " " " S 78 W 27 " "

- East On true line S. boundary of Sec. 35, T4N, R5E  
 40.00 Let the q. Sec. post on true line, from which

317

*T4N R5E. 2<sup>nd</sup> Mer. Indiana*

a Sweet Gum 20 in. diam. bearing S 56 E 19 lks. dist.  
 a Beech 10 " " " S 83 W 14 "  
 80.00 Set a post Cor. to Sec. 35 & 36, from which  
 a Beech 10 in. diam. bearing N 81 E 9 lks. dist. &  
 a W. Oak 48 " " " S 43 W 29 " "

East On true line S. boundary of Sec. 36, T4N. R5E.  
 40.00 Set the q. Sec. post on true line, from which  
 a Maple 10 in. diam. bearing N 10 E 12 lks. dist. &  
 a Gum 15 " " " S 25 E 13 " "  
 80.00 to the Township Corner.

*East Boundary*

North On E. boundary of Sec. 36, T4N. R5E.  
 21.20 a W. Oak 20 in. diam. in the line  
 36.00 a pond Covered with brush  
 40.00 Set the q. Sec. post, from which  
 a Maple 10 in. diam. bearing N 89 W 22 lks. dist.  
 no other near.  
 75.00 to North side of the pond  
 80.00 Set a post Cor. to Sec. 25 & 36, from which  
 a Maple 10 in. diam. bearing N 47 W 22 lks. dist. &  
 an Elm 8 " " " N 32 E 25 " "  
 (Description Omitted)

North On E. boundary of Sec. 25, T4N. R5E.  
 16.50 a Creek 150 lks. wide Course West  
 21.50 a Beech 24 in. diam. in the line  
 40.00 Set the q. Sec. post, from which  
 a Gum 15 in. diam. bearing N 15 W 17 lks. dist. &  
 a Beech 20 " " " S 83 E 6 " "  
 54.00 a Creek 50 lks. wide Course S. W  
 56.00 a Poplar 48 in. diam. in the line



## T4N. R5E. T. Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, from which  
 a W. Oak 40 in. dia. bray N58E 29 lks. dist. &  
 a do 48 " " " N78W 38 " "  
 Good level Beech timbered land

North On E. boundary of Sec. 24, T4N. R5E.

40.00 Set the gr. Sec. post, from which  
 a Sweet Gum 8 in. dia. bray S41E 34 lks. dist. &  
 an Elm 20 " " " N81W 17 " "

66.00 an Elm 15 " "

80.00 Set a post Cor. to Sec. 13 & 24, from which  
 an Elm 8 in. dia. bray S8E 8 lks. dist. &  
 a Gum 4 " " " N45E 17 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 13, T4N. R5E.

26.80 a Beech 20 in. dia.

40.00 Set the gr. Sec. post, from which  
 a ——— 20 in. dia. bray S47E 6 lks. dist. &  
 a Dogwood 6 " " " N60W 5 " "

70.50 a Brook 10 lks. wide Course E.

80.00 Set a post Cor. to Sec. 12 & 13, from which  
 a Beech 30 in. dia. bray S33E 35 lks. dist. &  
 a do 20 " " " S68W 40 " "  
 Sand this mile over level Beech, Oak and  
 Hickory timbered land.

North On E. boundary of Sec. 12, T4N. R5E.

0.60 a ——— 20 in. dia.

16.70 a Poplar 40 in. dia.

40.00 Set the gr. Sec. post, from which  
 a Beech 6 in. dia. bray S22W 5 lks. dist. &  
 a do 24 " " " N20E 20 " "

# *T4 N. R5 E. 2<sup>nd</sup> Mer. Indiana*

80.00 Set a post Cor. to Sec. 1 of 12, T4 N. R5 E. from  
which a Beech 6 in. dia. bear S38 E 4 lks. dist. of  
a Do 20 " " " N19 E 20 " "  
Land timber &c. Same as on the last mile

North On E. boundary of Sec. 1, T4 N. R5 E.

40.00 Set the gr. Sec. post, from which  
a W. Ash 10 in. dia. bear N75 W 13 lks. dist. of  
a Do 6 " " " S20 W 4 " "

80.00 Set a post Cor. to Township N<sup>o</sup> 4 of 5 North  
of Range N<sup>o</sup> 5 of 6 East, from which  
a Beech 20 in. dia. bear S36 W 6 lks. dist. of  
a Do 20 " " " S36 E 16 " "  
Land timber &c. Same as on the last mile

## *North Boundary*

West On Rand<sup>m</sup>. S. boundary of Sec. 36, T5 N. R5 E.

20.00 a Brook 20 lks. wide Course South

40.00 Set temp. gr. Sec. post

80.00 Set temp. Sec. post.

Good farming land, timber Oak, Hickory & Beech

West On Rand<sup>m</sup>. S. boundary of Sec. 35, T5 N. R5 E.

40.00 Set temp. gr. Sec. post

80.00 Set temp. Sec. post. Land &c. Same as last mile

West On Rand<sup>m</sup>. S. boundary of Sec. 34, T5 N. R5 E.

40.00 Set temp. gr. Sec. post

80.00 Set temp. Sec. post. Land &c. Same as last mile

West On Rand<sup>m</sup>. S. boundary of Sec 33, T5 N. R5 E.

40.00 Set temp. gr. Sec. post

75.50 a Brook 20 lks. wide Course South

T4N R5E. 2<sup>d</sup>. Mer. Indiana

80.00 Let temp<sup>y</sup>. Sec. post. Land level timber  
Beech, Oak and Hickory

West On Rand<sup>m</sup>. S. boundary of Sec. 32, T5N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Let temp<sup>y</sup>. Sec. post. Land & barns on one half mile

West On Rand<sup>m</sup>. S. boundary of Sec. 31, T5N. R5E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

84.50 Intersected the N & S. line 7.00 lks. S. of the  
Township Corner. Land & barns as last mile

East On true line S. boundary of Sec. 31, T5N. R5E.

44.50 Let the q<sup>r</sup>. Sec. post on true line from which  
a Beech 20 in. diam. bran N52°W 3 lks. dist. of  
a Do 8 " " " N19°W 25 " "

84.50 Let a post Cor. to Sec. 31 & 32, T5N. R5E from which  
a Beech 10 in. diam. bran N60°E 4 lks. dist. of  
a Do 20 " " " East 16 " "

East On true line S. boundary of Sec. 32, T5N. R5E.

40.00 Let the q<sup>r</sup>. Sec. post on true line, from which  
a Sassafras 8 in. diam. bran N14°W 17 lks. dist. of  
a Poplar 20 " " " N10°W 8 " "

80.00 Let a post Cor. to Sec. 32 & 33, T5N. R5E, from which  
a Hickory 24 in. diam. bran N36°E 4 lks. dist. of  
a Do 10 " " " N10°E 18 " "

East On true line S. boundary of Sec. 33, T5N. R5E.

40.00 Let the q<sup>r</sup>. Sec. post on true line, from which  
a Hickory 10 in. diam. bran N63°E 15 lks. dist. of  
a Beech 8 " " " N55°W 16 " "

80.00 Let a post Cor. to Sec. 33 & 34, T5N. R5E, from which



T<sup>4</sup>N-R5E-2<sup>d</sup> Mer. Indiana

a Beech 24 in. dia. bran S44E 5 lks. dist. of  
a Do 20 " " " N74W 33 " "

East On S. boundary of Sec. 34, T<sup>5</sup>S-R5E. true line

40.00 Set the gr. Sec. post on true line, from which  
a Beech 24 in. dia. bran S54W 21 lks. dist. of  
a Do 8 " " " N60E 41 " "

80.00 Set a post Cor. to Sec. 34 & 35, T<sup>5</sup>S-R5E, from which  
a Hickory 8 in. dia. bran N59W 10 lks. dist. of  
a Maple 8 " " " N59W 16 " "

East On true line S. boundary of Sec. 35, T<sup>5</sup>S-R5E.

40.00 Set the gr. Sec. post on true line, from which  
a Beech 10 in. dia. bran S10E 16 lks. dist. of  
a Do 12 " " " N40W 21 " "

80.00 Set a post Cor. to Sec. 35 & 36, T<sup>5</sup>S-R5E, from which  
a Gum 20 in. dia. bran N50W 25 lks. dist. of  
a Beech 20 " " " S75E 34 " "

East On true line S. boundary of Sec. 36, T<sup>5</sup>S-R5E.

40.00 Set the gr. Sec. post on true line, from which  
an Elm 20 in. dia. bran S45E 12 lks. dist. of  
a Hickory 10 " " " S62W 17 " "

80.00 to Township Corner Oct. 1806.

## West Boundary

North On E. boundary of Sec. 36, T<sup>4</sup>N-R4E.

40.00 Set the gr. Sec. post, from which  
a W. Walnut 5 in. dia. bran S31E 20 lks. dist. of  
a Mulberry 12 " " " N45W 29 " "

57.65 a W. Ash 10 " "

80.00 Set a post cor. to Sec. 25 & 36, T<sup>4</sup>N-R4E, from which  
a Beech 10 in. dia. bran N48E 3 lks. dist. of



T4N-R5E. 2<sup>nd</sup> Mer. Indiana

a Beech 5 in. dia. beam 170 W 8 lbs. dist. of  
 Very hilly broken Soil, timber Oak & Hickory

North On E. boundary of Sec. 25, T4N. R4E.

40.00 Let the q. Sec. post, from which  
 a Beech 20 in. dia. beam 127 W 13 lbs. dist. of  
 an Elm 24 " " " N49 E 24 " "

45.50 a Creek 200 lbs. wide Course N 80 W

64.00 Same 200 lbs. " " N. E.

73.00 a Beech 20 in. dia. in the line

80.00 Let a post Cor. to Sec. 24 & 25, T4N. R4E, from which  
 a W. Oak 15 in. dia. beam 139 E 8 lbs. dist. of  
 a Beech 15 " " " N 39 W 25 " "  
 Good farming land, timber Oak, Beech &c.

North On E. boundary of Sec. 24, T4N. R4E.

12.50 a creek 200 lbs. wide Course West

40.00 Let the q. Sec. post, from which  
 a Beech 20 in. dia. beam N1 W 11 lbs. dist. of  
 a W. Oak 6 " " " S 33 W 21 " "

64.05 a Beech 24 " "

80.00 Let a post Cor. to Sec. 13 & 24, T4N. R4E, from which  
 a Beech 10 in. dia. beam 122 E 22 lbs. dist. of  
 a Do 6 " " " N 54 W 10 " "  
 Good farming land, timber Beech, Oak & Hickory

North On E. boundary of Sec. 13, T4N. R4E.

4.40 a W. Oak 20 in. dia.

40.00 Let the q. Sec. post, from which  
 a Beech 20 in. dia. beam N 56 W 7 lbs. dist. of  
 a Do 6 " " " S 33 E 4 " "

80.00 Let a post Cor. to Sec. 12 & 13, T4N. R4E, from which  
 a Beech 20 in. dia. beam S 40 E 24 lbs. dist. of

# T4N R5E, 2<sup>nd</sup> Mer. Indiana

a Beech 10 in. dia. bray N49W 22 lks. dist. of  
Level Beech timbered land

North On E. boundary of Sec. 12, T4N. R5E.

6.15 a W. Oak 50 in. dia.

23.00 a Brook 10 lks. wide Course West

35.00 a Do 18 lks. " " S.W.

40.00 At the q. Sec. post, from which  
a Beech 10 in. dia. bray N70W 17 lks. dist. of  
an Ash 7 " " S22W 12 1/2 " "

80.00 At a post cor. to Sec. 1 & 12, T4N. R4E. from which  
a Beech 4 in. dia. bray S55E 4 lks. dist. of  
a Do 13 " " " N55W 28 " "  
Land timber &c. same as on the last mile

North On E. boundary of Sec. 1, T4N. R4E.

21.75 a Brook 10 lks. wide Course S.W.

22.40 a B. Oak 20 in. dia.

31.50 a Brook 10 lks. wide Course S.E.

37.00 a Do 10 lks. " " S.W.

40.00 At the q. Sec. post, from which  
a Beech 10 in. dia. bray N57W 15 lks. dist. of  
a Do 15 " " " S17W 12 1/2 " "

80.00 At a post cor. to Township N. 4 & 5 North, of Range  
N. 4 & 5 East, from which  
a Beech 20 in. dia. bray S12E 23 lks. dist. of  
a Do 20 " " " N61W 35 " "  
Land timber &c. same as on the last mile  
Surveyed in 1806 by Arthur Hennie, D.S.

Subdivision, Dec. 9<sup>th</sup>. 1806

North Between Sec. 35 & 36, T4N. R5E.

25.15 a Hickory 20 in. dia.

Com

Twp N R 5 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
an Ash 24 in. dia. bears S 62 E 8 lks. dist. of  
a S. Oak 10 " " " S 40 W 8 " "
- 59.16 a R. Oak 30 " "
- 75.00 to River 200 lks. wide Course N. W.
- 80.00 a Lycamore 20 in. dia. Cor. to Secs. 25, 26, 35 & 36  
Land low wet Soil, timb. Oak, Ash, Maple &c.

East On Rand<sup>m</sup>. between Secs. 25 & 36, Twp N. R 5 E.

- 18.00 a run 200 lks. wide Course S. W.
- 39.25 a do 200 " " " N. W.
- 40.00 Set temp<sup>y</sup>. q. Sec. post
- 55.00 a river 150 lks. wide Course S. W.
- 78.80 Intersected the E. boundary 130 lks. N. of post  
Low level Land rich Beech &c.

West Corrected between Secs. 25 & 36, Twp N. R 5 E.

- 39.40 Set q. Sec. post at average dist. from which  
a Beech 16 in. dia. bears S 75 W 10 lks. dist. of  
a Lycamore 36 " " " S 20 W 16 " "
- 78.80 To Section Corner

North Between Secs. 25 & 26, Twp N. R 5 E.

- 17.50 a W. Oak 60 in. dia.
- 40.00 Set the q. Sec. post, from which  
an Ash 30 in. dia. bears S 70 E 9 lks. dist. of  
an Elm 16 " " " S 84 W 34 " "
- 58.24 a Maple 18 " "
- 80.00 Set a post Cor. To Secs. 23, 24, 25 & 26. from which  
a Maple 10 in. dia. bears N 56 W 7 lks. dist. of  
an Ash 10 " " " N 73 E 21 " "
- Low wet Land in overflows 5. or 6 feet  
timber as before.



# 325

## T4N R5E 2<sup>nd</sup> Mer. Indiana

East On Random between Sec. 24 & 25, T4N R5E.

40.00 Set temp<sup>y</sup>. of Sec. post

79.18 Intersected the E. boundary 225 lks. S. of post  
Low wet Maple & Chestnut Land overflows in  
floods 5 or 6 feet

West Corrected between Sec. 24 & 25, T4N R5E.

39.59 Set of Sec. post, at average dist. from which  
a maple 14 in. dia. bears S 87 E 14 lks. dist. &  
a do 12 " " " S 87 W 25 " "

79.18 to Section Corner

North Between Sec. 23 & 24, T4N R5E.

16.16 an Ash 14 in. dia.

28.00 a run 40 lks. wide Course W. Slashy

40.00 Set the of Sec. post, from which  
a Maple 6 in. dia. bears S 62 E 16 lks. dist. &  
an Elm 6 " " " S 31 W 5 " "

Land Swampy, timber Maple, Elm, brushy and  
briery &c. return South, not being passable

South from Corner of Sec. 13, 14, 23 & 24

12.00 a Beech 20 in. dia.

26.27 a Spring run 15 lks. wide Course West of Swamp.

East On Rand<sup>m</sup> between Sec. 13 & 24, T4N R5E.

40.00 Set temp<sup>y</sup>. of Sec. post var. 4<sup>th</sup> E.

62.75 a run 15 lks. wide Course South

78.75 Intersected the E. boundary 100 lks. N. of post  
Land good rich Soil, timber Beech, underg<sup>th</sup>  
Beech &c.

West Corrected between Sec. 13 & 24, T4N R5E.

39.37 $\frac{1}{2}$  Set of Sec. post at average dist. from which

# Spot - R5 E. 2<sup>n</sup>. Mer. Indiana

a Beech 40 in. diam. bran N 29 W 14 lbs. dist. of  
 a Gum 14 " " " S 78 E 14 " "  
 78.75 to Sec. Corner

---

North Between Sec. 13 & 14, T4 N. R5 E.

21.40 a Beech 24 in. diam.

40.00 Set the of. Sec. post from which

a Beech 14 in. diam. bran N 46 W 17 lbs. dist. of

a do 8 " " " S 21 E 10 " "

54.76 a Beech 20 " "

80.00 Set a post cor. to Sec. 11, 12, 13 & 14, from which

a Beech 30 in. diam. bran S 59 E 17 lbs. dist. of

a Gum 16 " " " N 53 W 25 " "

Land timber &c. same as on the last mile

---

East On Rand<sup>m</sup>. betw<sup>n</sup> Sec. 12 & 13, T4 N. R5 E.

40.00 Set tim. of. Sec. post var. 3.20' E.

78.80 Intersected the E. boundary 112 lbs. N. of post

Land good Soil timber Beech & Open Woods

---

West Connected betw<sup>n</sup> Sec. 12 & 13, T4 N. R5 E.

39.40 Set of. Sec. post at average dist. from which

a Beech 14 in. diam. bran S 77 E 20 lbs. dist. of

a do 5 " " " N 25 W 6 " "

78.80 to Sec. Corner

---

North Between Sec. 11 & 12, T4 N. R5 E.

27.69 a Beech 14 in. diam.

40.00 Set the of. Sec. post, from which

a Beech 18 in. diam. bran S 72 E 5 lbs. dist. of

a do 7 " " " S 52 E 25 " "

57.05 a Beech 24 " "

67.00 to a slashy bottom

# 4th N 5 E 2<sup>nd</sup> Mer. Indiana

327

73.50 a run 30 hrs. wide Course S.W.  
 80.00 Let a post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Beech 14 in. dia. bran N 81 E 25 hrs. dist. of  
 a Do 15 " " " N 66 W 17 " "  
 in Slashy bottom. Land with good Soil  
 timber Beech, Poplar &c.

---

East On Rand<sup>m</sup>. betw<sup>n</sup> Sec. 1, 12, 4th N. 5 E.  
 11.90 a run 40 hrs. wide Course S.W.  
 40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 44.50 a run 8 hrs. wide Course N.  
 78.39 Intersected the E. boundary 126 hrs. N. of post  
 Land level, timber Beech, Poplar, Ash, &c. good  
 Soil, running<sup>g</sup> Spice, greenbriar, grape vines &c.

---

West Corrected betw<sup>n</sup> Sec. 1, 12, 4th N. 5 E  
 39.19 1/2 let q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 9 in. dia. bran N 77 W 11 hrs. dist. of  
 a Do 20 " " " N 10 E 22 " "  
 78.39 to Sec. Corner

---

North / Between Sec. 1, 12, 4th N. 5 E.  
 3.00 a run 30 hrs. wide Course S.W.  
 13.50 a Spring run 6 hrs. " " East  
 17.20 an Ash 16 in. dia.  
 20.00 a run 6 hrs. wide S.E.  
 40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Poplar 80 in. dia. bran N 31 E 30 hrs. dist. of  
 a Beech 18 " " " N 68 W 16 " "  
 56.31 a Run 20 " "  
 76.00 Intersected the N. boundary 40 hrs. E. of post  
 Let a post Cor. to Sec. 1, 12, from which  
 a Beech 20 in. dia. bran S 27 W 17 hrs. dist. of



# T4N R5E. 2<sup>d</sup> Mer. Indiana

a Beech 14 in dia. bran N 2 E 50 lbs. dist.  
 Land level wet soil, timber Beech, ash, Elm &c.

---

North Between Secs. 34 & 35, T4N R5E.

- 2.40 a Creek 50 lbs. wide Course W.  
 7.10 a Do — " " E.  
 9.50 a Do — " " W.  
 15.00 a Do — " " E.  
 24.19 an Ash 24 in dia.  
 26.50 a Creek 50 lbs. wide Course W.  
 35.00 a Do — " " E.  
 40.00 Let the g. Sec. post, from which  
 a Red Oak 20 in dia. bran N 25 W 8 lbs. dist. &  
 a Do — " " " N 34 E 4 " "  
 62.24 a Beech 18 " "  
 80.00 Let a post Cor. to Secs. 26, 27, 34 & 35, from which  
 a W. Oak 30 in dia. bran N 27 W 14 lbs. dist. &  
 a Do 40 " " " N 3 E 64 " "  
 Low wet land overflow, timber Oak & Beech

---

East On Rand<sup>m</sup> betw Secs. 26 & 35, T4N R5E.

- 28.50 a run 50 lbs. wide Course N.  
 40.00 Let temp. g. Sec. post  
 64.00 a run Course N.E.  
 77.50 a River 200 lbs. wide Course S.W.  
 80.20 Intersected the N & S. line 10 lbs. N. of post  
 Level wet, overflow Cor 8 feet, Oak, Beech,  
 Poplar, Sassafras bushy

---

West Corrected between Secs. 26 & 35, T4N R5E.

- 40.10 Let g. Sec. post at average dist. from which  
 a Beech 20 in dia. bran N 67 E 20 lbs. dist. &  
 an Elm 30 " " " N 17 W 49 " "

329

Lot R5E, T. Mer. Indiana

80.20 to Section Corner

---

North Between Secs. 26 & 27, T4N, R5E.

14.93 a Beech 16 in. diam.

18.50 a run 40 lks. wide Course W.

40.00 Let the q. Sec. post, from which  
a Beech 20 in. diam. bears S56E 24 lks. dist. of  
an Elm 6 " " " N55W 20 " "

55.74 to River 250 lks. wide Course W. Flow Current  
apparently navigable

73.05 a Poplar 18 in. diam.

80.00 Let a post cor. to Secs. 22, 23, 26 & 27, from which  
a Hickory 10 in. diam. bears S85E 13 lks. dist. of  
a Beech 18 " " " N55W 20 " "  
Land low wet Soil, timber Beech, Hickory, Maple  
Ash, Elm &c.

---

East On Land between Secs. 23 & 26, T4N, R5E.

40.00 Let timber q. Sec. post

69.70 a run 20 lks. wide Course S.W.

80.30 Intersected the N & S line 10 lks. S. of post  
Land swampy overflow 5 or 6 feet, timber Maple

---

West Corrected between Secs. 23 & 26, T4N, R5E.

40.15 Let q. Sec. post at average dist. from which  
a Gum 40 in. diam. bears S85E 8 lks. dist. of  
a Beech 16 " " " S72W 35 " "

80.30 to Sec. Corner Sunday Dec. 14<sup>th</sup>. 1806

---

North Between Secs. 22 & 23, T4N, R5E.

29.75 an Ash 20 in. diam.

40.00 Let the q. Sec. post, from which  
a W. Oak 8 in. diam. bears S34E 7 lks. dist. of

T4N R5E 2<sup>nd</sup> Mer. Indiana

a Beech 10 in. dia. bran N 26 W 25 lth. dia.  
 52.65 a Beech 24 " "  
 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which  
 a W. Oak 14 in. dia. bran S 88 W 21 lth. dia. &  
 a R. Oak 36 " " " S 60 E 27 " "  
 Land 1<sup>st</sup> 1/2 Ash & Maple Swamp overflowed  
 2<sup>nd</sup> 1/2 good Beech land

East Between Sec. 14 & 23, T4N. R5E.  
 40.00 Let the g. Sec. post, from which  
 a Beech 9 in. dia. bran S 50 W 10 lth. dia. &  
 a Do 18 " " " N 52 E 21 " "  
 80.00 Let a post Cor. to Sec. 13, 14, 23 & 24 from which  
 a Beech 14 in. dia. bran N 51 W 15 lth. dia. &  
 a Do 9 " " " S 58 E 32 " "  
 Good land, rolling timber Beech &c.

North Between Sec. 14 & 15, T4N. R5E.  
 30.50 a run 6 lth. wide Course N. E.  
 40.00 Let the g. Sec. post, from which  
 a Beech 10 in. dia. bran S 40 E 14 lth. dia. &  
 a W. Oak 60 " " " North 63 " "  
 54.33 a Beech 24 " "  
 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Beech 14 in. dia. bran S 16 E 23 lth. dia. &  
 a Do 30 " " " N 61 W 26 " "  
 Land w/ timber Beech &c. undg. Spruce beech &c.

West On land between Sec. 11 & 14, T4N. R5E.  
 38.50 a run 10 lth. wide Course South  
 40.00 Let temp. g. Sec. post  
 61.12 a run 10 lth. wide Course W.  
 79.12 Intersected the N & S. line 50 lth. S. of post



# T4N R5E. 2<sup>d</sup>. Mer. Indiana

Land level, timber Beech, Poplar &c. very brushy  
Beech, Spruce &c.

East Corrected between Sec. 11 & 14, T4N. R5E.  
39.56 let of Sec. post at average dist. from which  
a Hickory 14 in. dia. bears N60E 16 lks. dist. of  
a Beech 24 " " " N60W 60 " "  
79.12 to Sec. Corner

North Between Sec. 10 & 11, T4N. R5E.  
20.79 an Ash 20 in. dia.  
28.00 a Swamp 16.00 lks. wide  
38.60 a run 6 lks. wide Course N.E.  
40.00 let the of Sec. post, from which  
an Ash 26 in. dia. bears N3E 15 lks. dist. of  
a W. Oak 6 " " " S28W 27 " "  
44.75 a Creek 40 lks. wide Course S.W.  
61.26 a Poplar 40 in. dia.  
80.00 let a post cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 12 in. dia. bears S37W 15 lks. dist. of  
a Do 6 " " " N43E 25 " "  
Land good Soil, wet, timber Beech, Ash, Oak &c.

East On Rand. betw. Sec. 2 & 11, T4N. R5E.  
40.00 let temp. of Sec. post  
59.80 a run 40 lks. wide Course S.W.  
60.95 a Do — " " N.W.  
63.75 a Do 40 lks. " " S.W.  
79.00 Intersected the N & S. line at the post  
Land level, Beech, Poplar, Oak, Maple &c.  
Brushy &c.

West Corrected betw. Sec. 2 & 11, T4N. R5E.

T4N R5E 2<sup>nd</sup> Mer. Indiana

39.50 Set the q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bears S68W 46 lks. dist. of  
 a Maple 15 " " " N84E 100 " "  
 79.00 to Sec. Corner.

North Between Sect. 2 of 3, T4N R5E.  
 20.66 a Beech 40 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Beech 12 in. dia. bears S9W 36 lks. dist. of  
 a Do 40 " " " N6E 27 " "  
 55.21 a Beech 20 " "  
 71.50 a trace well blazed but old Cr. S56W  
 79.50 Intersected the N. boundary 46 lks. N. of post  
 Set a post Cor. to Sect. 2 of 3, from which  
 a W. Oak 28 in. dia. bears N16E 45 lks. dist. of  
 a Do 26 " " " S75W 57 " "  
 Land rich, undulating, Timber Beech, Poplar  
 Oak, Ash, Angarfe.

North Between Sect. 33 of 34, T4N R5E.  
 9.41 a Blazed line runs E & W. bearing trees had been taken  
 12.60 a track — the. wid. Course N. W.  
 16.08 a W. Oak 36 in. dia.  
 40.00 Set the q. Sec. post, from which  
 a Gum 11 in. dia. bears S32W 97 lks. dist. of  
 a Beech 6 " " " N41E 11 " "  
 59.11 a W. Oak 36 " "  
 80.00 Set a post Cor. to Sect. 27, 28, 33 of 34 from which  
 an Ash 10 in. dia. bears S26W 7 lks. dist. of  
 an Do 14 " " " N30E 42 " "  
 Low Land Clay Soil timber Ash Maple Elm  
 Oak Beech overflows 4 or 5 feet very brushy.

# T4N R5E 2<sup>d</sup> Mer. Indiana

East On Random between Sec. 27 & 34, T4N R5E.

40.00 Set temp. q. Sec. post

81.00 Intersected the N. & S. line 14 lks. N. of post  
Land timber &c. Same as on the last mile 5 or 6 feet w.

West Corrected between Sec. 27 & 34, T4N R5E.

40.50 Set q. Sec. post at average dist. from which  
a Maple 16 in. dia. bears S 3 E 20, lks. dist. &  
an Elm 24 " " " N 1/2 E 48 " "

81.00 to Section Corner Nov. 24<sup>th</sup> 1886

North Between Sec. 27 & 28, T4N R5E.

17.20 a Maple in dia. in the line

40.00 Set the q. Sec. post, from which  
a Maple 16 in. dia. bears S 78 E 27 lks. dist. &  
a W. Oak 4 " " " S 56 W 6 " "

55.67 a live Oak 50 in. dia.

77.00 a creek 200 lks. wide C. 180 W. deep flow current

80.00 Set a post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 11 in dia. bears N 18 W 10 lks. dist. &  
a Do 16 " " " N 47 E 21 " "  
Land and Soil Same as on the last mile

East On Rand<sup>m</sup>. between Sec. 22 & 27, T4N R5E.

40.00 Set temp. q. Sec. post

81.40 Intersected the N. & S. line 110 lks. N. of the post  
Land very bushy overflow, timber (Maple &c

West Corrected between Sec. 22 & 27, T4N R5E.

40.70 Set the q. Sec. post at average dist. from which  
a Maple 14 in. dia. bears S 45 E 12 lks. dist. &  
an Elm 20 " " " N 82 W 16 " "

81.40 to Section line.



T4N R5E 2<sup>d</sup> Mer. Indiana

North Between Sec. 21 &amp; 22, T4N, R5E.

22.07 a Maple 30 in. dia.

40.00 a Maple 14 in. dia. (marked for q. Sec. Corner  
in overflowed bottom).

61.12 a Beech 12 in. dia.

63.50 a Spring run 6 lks. wide Course S 20 W

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Beech 30 in. dia. bears S 65 E. 26 lks. dist. of  
a Do 16 " " " N 75 W 26 " "Land most part same overflowed in freshets  
3 or 4 feet, timber Ash, Maple &c.Wednesday December 17<sup>th</sup> 1806East On Rand<sup>m</sup>. betw. Sec. 15 & 22, T4N, R5E.

40.00 Set temp. q. Sec. post

80.74 Intersected the N & S. line 112 lks. N. of post  
Land level wet Soil, timber Beech &c.

West Corrected between Sec. 15 &amp; 22, T4N, R5E.

40.37 a Beech 12 in. dia. Marked for q. Sec. Corner

80.74 to Sec. Corner.

North Between Sec. 15 &amp; 16, T4N, R5E.

7.40 a Beech 16 in. dia.

33.50 a run 10 lks. wide Course S. W. (a running stream)

40.00 Set the q. Sec. post from which an  
Ash 18 in. dia. bears S 54 W 27 lks. dist. of  
a Gum 18 " " " N 88 E 62 " " in Swamp

52.25 a run 45 lks. wide Course S 80 W

56.63 an Elm 24 in. dia. in the line

80.00 Set a post Cor. to Sec. 9, 10, 15 & 16, from which  
a W. Oak 16 in. dia. bears S 20 E. 20 lks. dist. of  
a Do 14 " " " N 20 W 10 " "

# T4N R5E 2<sup>d</sup> Mer. Indiana

Land level good Soil overflow, Limbu Oak &c.

With 2 hands Friday 19<sup>th</sup> Decr. 1806.

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 10 & 15, T4N. R5E.

2.85 a run 50 lks. wide Course N.W.

7.50 a Creek 150 lks. wide Cross it obliquely S.W.

24.85 a do 40 " " Course S.W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

49.00 a run 3 lks. wide Course N.

80.61 Intersected the N & S. line 44 lks. N. of post

Land most part Meadow wet soil timber  
Beech &c. undug<sup>d</sup>. Beech, Pines &c.

West Connected between Sec<sup>s</sup>. 10 & 15, T4N. R5E.

40.30<sup>1</sup>/<sub>2</sub> Set q<sup>r</sup>. Sec. post at average dist<sup>s</sup> from which  
a Poplar 84 in. dia<sup>r</sup>. bran N 88 E 24 lks. dist<sup>s</sup> of  
a Beech 10 " " " S 51 W 6 " "

80.61 to Sec. Corner.

North Between Sec<sup>s</sup>. 9 & 10, T4N. R5E.

2.00 a run 35 lks. wide Course S.W.

4.00 to W 4 lks. is a Spring

20.77 a Beech 24 in. dia<sup>r</sup>.

40.00 Set the q<sup>r</sup>. Sec. post from which

a Beech 30 in. dia<sup>r</sup>. bran N 57 E 32 lks. dist<sup>s</sup> of  
a do 18 " " " S 36 W 15 " "

58.55 a W. Oak 24 " "

80.00 Set a post Con<sup>t</sup> to Sec<sup>s</sup>. 3, 4, 9 & 10, from which

a Beech 11 in. dia<sup>r</sup>. bran S 61 E 24 lks. dist<sup>s</sup> of  
a do 30 " " " S 83 W 44 " "

Land level rich, Limbu Beech &c.

West On Rand<sup>m</sup>. between Sec<sup>s</sup>. 3 & 10, T4N. R5E.

# T4N R5E. 2<sup>d</sup>. Mer. Indiana

7.50 a run 6<sup>th</sup>. wide Course S.W.  
 40.00 Let temp. q. Sec. post  
 80.60 Intersected the N & S. line 96<sup>th</sup>. S. of post  
 Land 1<sup>st</sup>. rate rolling Open woods, timber large  
 Poplar, ash, Sugar, Beech &c.

---

East Connected between Sec. 3 & 10, T4N R5E.  
 40.30 Let q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bray N 16° W 41<sup>th</sup>. dist. of  
 a Do 16 " " " N 15° E 7 " "  
 80.60 to Sec. Corner. Saturday Dec. 20. 1806 with 2 hands

---

North Between Sec. 3 & 4, T4N R5E.  
 20.50 a Poplar 40 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a Beech 11 in. dia. bray S 56° W 41<sup>th</sup>. dist. of  
 a Sugar 8 " " " N 40° W 21 " "  
 46.00 to a Swamp which appears to be extensive N. & S. 12.00  
 61.70 a Beech 20 in. dia.  
 78.50 Intersected the N. Boundary 212<sup>th</sup>. W. of post  
 Let a post Cor. to Sec. 3 & 4, from which  
 a W. Oak 16 in. dia. bray N 71° E 8<sup>th</sup>. dist. of  
 a Beech 26 " " " N 36° W 46 " "  
 Land timber &c. same as on the last mile.

---

North Between Sec. 32 & 33, T4N R5E. Thursday 11<sup>th</sup>. Nov.  
 3.00 a run 4<sup>th</sup>. wide Course S.W.  
 17.32 a Beech 30 in. dia.  
 40.00 Let the q. Sec. post, from which  
 a W. Oak 18 in. dia. bray N 75° E 26<sup>th</sup>. dist. of  
 a Beech 20 " " " N 83° W 6 " "  
 50.48 a Beech 12 " "  
 63.50 a run 20<sup>th</sup>. wide Course E.

T4N R5E 2<sup>nd</sup> Mer. Indiana

- 68.00 a run - 1/4 mi. wide Course W.  
 73.00 a do - " " " E.  
 74.50 a do - " " " W.  
 80.00 Let a post Cor. to Secs. 28, 29, 32 & 33, from which  
 a Beech 18 in. dia. bear S50 E 48 lbs. dist. of  
 a do 12 " " " N66 W 26 " "  
 Good Soil, timber Beech, Oak &c.

- East On Rand. between Secs. 28 & 33, T4N, R5E.  
 40.00 Let temp. q. Sec. post  
 80.30 Intersected the N & S. line 30 lbs. N. of post  
 Land level growth, timber Beech, Persimmon &c.

- West Corrected between Secs. 28 & 33, T4N, R5E.  
 40.15 Let q. Sec. post at average dist. from which  
 a Gum 12 in. dia. bear N37 W 16 lbs. dist. of  
 a R. Oak 30 " " " S84 E 19 " "  
 80.30 to Section Corner.

- North Between Secs. 28 & 29, T4N, R5E.  
 3.00 a run 20 lbs. wide Course E.  
 6.50 a do - " " " W.  
 11.50 a do - " " " E.  
 19.71 an Ash 14 in. dia. in the line  
 26.15 to River <sup>keep</sup> Obliquely down  
 40.00 Let q. Sec. post on river bank N. side, from which  
 a Hickory 8 in. dia. bear S41 E 11 lbs. dist. of  
 a Beech 11 " " " N33 W 21 " "  
 47.25 to river bank 250 lbs. wide Course W. deep, slow current  
 65.85 a Hickory 16 in. dia.  
 80.00 Let a post Cor. to Secs. 20, 21, 28 & 29, from which  
 an Ash 10 in. dia. bear S85 W 250 lbs. dist. of  
 a Maple 12 " " " N78 E 44 " "



T4N R5E 2<sup>nd</sup> Mer. Indiana

Land very brushy, briery &c. Timber, Ash,  
Maple &c overflow. Saturday Dec. 13<sup>th</sup> 1806

Met On Rand<sup>m</sup> between Sec. 21 & 28, T4N. R5E.

40.00 Let temp<sup>y</sup>. q. Sec. post

79.63 Intersected the N & S. line at the post

Land very brushy, briery &c. timber (Maple  
Gum, Ash &c. overflow

East Correcked between Sec. 21 & 28, T4N. R5E.

39.81 1/2 Let q. Sec. post at average dist. from which

at Beech 6 in. dia. bay N 12 W 7 lks. dist. of

a Do 4 " " " N 3 E 21 " "

79.63 to Sec. Corner. Monday Dec. 15<sup>th</sup> 1806.

North Between Sec. 20 & 21, T4N. R5E.

26.67 an Ash 24 in. dia. in the line

40.00 Let the q. Sec. post, from which

at Beech 8 in. dia. bay N 50 W 10 lks. dist. of

an Elm 20 " " " S 57 E 40 " "

43.50 a run 20 lks. wide Course East

59.67 a Beech 20 in. dia. in the line

80.00 Let a post Cor. to Sec. 16, 17, 20 & 21, from which

an Ash 11 in. dia. bay S 57 W 10 lks. dist. of

a Do 10 " " " N 50 E 11 " "

Land 1<sup>st</sup> 1/2 low wet overflow from 4 to 8 feet.

2<sup>d</sup> 1/2 dry level Beech land

East On Rand<sup>m</sup> betw<sup>n</sup> Sec. 16 & 21, T4N. R5E.

40.00 Let temp<sup>y</sup>. q. Sec. post

47.50 a run 50 lks. wide Course South

79.44 Intersected the N & S. line 8 lks. N. of post

Land good Soil part overflow Beech &c. brushy

# T44 N. R5 E. 2<sup>d</sup> Mer. Indiana

339

Tuesday December 16<sup>th</sup> 1806

Met. Corrected the line betw<sup>n</sup> Sec. 1, 16 & 21, T44 N. R5 E.  
39.72 Let the q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 30 in. dia. bray S 19 E 19 lks. dist. of  
a Do 30 " " " N 40 W 22 " "  
79.44 to Sec. Corner.

North Between Sec. 1, 16 & 17, T44 N. R5 E.

17.00 a Beech 20 in. dia. bray in the line

40.00 Let the q<sup>r</sup>. Sec. post, from which  
a Beech 11 in. dia. bray S 36 E 3 lks. dist. of  
a Do 12 " " " N 71 W 31 " "

57.61 a Gum 20 " "

80.00 Let a post Co. to Sec. 1, 8, 9, 16 & 17, from which  
a Beech 18 in. dia. bray S 29 W 21 lks. dist. of  
a Do — " " " N 27 E 31 " "

Land level good Soil wet, timber Beech, Gum  
Oak &c. Brushy &c

East Out Rand<sup>m</sup> betw<sup>n</sup> Sec. 1, 9 & 16, T44 N. R5 E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

46.75 a run 10 lks. wide Course S. W.

77.35 a Spring run 6 lks. wide Course South

78.40 a run 40 lks. wide Course S. W.

80.12 Intersected the N & S. line 65 lks. N. of post.

Land rolling 1<sup>st</sup> rate, timber Beech Poplar &c.

Met. Corrected between Sec. 1, 9 & 16, T44 N. R5 E.

40.06 Let q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 9 in. dia. bray N 16 W 15 lks. dist. of  
a Do 9 " " " S 50 W 19 " "

80.12 to Section Corner

T4N. R5E. 2<sup>nd</sup>. Mer. Indiana

North Between Sec. 8 &amp; 9, T4N. R5E

18.50 a Poplar 48 in. diam. in the line

40.00 Set the q. Sec. post, from which

a Beech 14 in. diam. bears S50E 26 lks. dist. of

a Gum — " " " S61W 7 " "

57.44 a Beech 18 " " in the line

79.00 a run 6 lks. wide Course N10W

80.00 Set a post Cor. to Sec. 4, 5, 8 &amp; 9, from which

a Beech 10 in. diam. bears S48W 16 lks. dist. of

an Ash 12 " " " S63E 11 " "

Land rolling rich Soil, timber Beech, Poplar &amp;c.

East On Rand. betw. Sec. 4 &amp; 9, T4N. R5E.

40.00 Set temp. q. Sec. post

79.80 Intersected the N &amp; S. line at the post

Land level & wet good Soil, timber Poplar,  
Beech, Locust, Gum &c.

West Corrected between Sec. 4 &amp; 9, T4N. R5E

39.90 Set q. Sec. post at average dist. from which

a Beech 16 in. diam. bears N59W 16 lks. dist. of

a Do — " " " S75E 44 " "

79.80 to Sec. Corner

North Between Sec. 4 &amp; 5, T4N. R5E.

7.85 a run 25 lks. wide Course W. about 7.00

18.50 a Do 12 " " " W. to N.E. is a large swamp

19.50 a Do — " " " S.E. appear to run N.E.

20.42 a Beech 16 in. diam. in the line

35.40 a run 15 lks. wide Course E.

37.40 a Do — " " S.W.

38.40 a Do 12 lks. " " East

38.82 a Do — " " S.W.

T4N R5E, 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post in edge of run Ct. E, from which  
 at Beech 26 m. diam. bear S 26° W 17 lks. dist. of  
 a W. Oak 16 " " " N 29° W 56 " "  
 51.50 a run 10 lks. wide Course S. W.  
 53.84 at Beech 28 m. diam. in the line  
 79.92 Intersected the N. Boundary 318 lks. W. of post  
 Set a post Cor. to Sec. 4 & 5, from which  
 a Poplar 40 m. diam. bear S 46° E 25 lks. dist. of  
 a Dogwood 6 " " " S 29° W 26 " "  
 Land level wet Soil, timber Beech, Poplar &c.
- 

- North Between Sec. 31 & 32, T4N R5E.  
 18.70 at P. Oak 20 m. diam. in the line  
 34.85 a run 6 lks. wide Course East  
 40.00 at P. Oak 14 m. diam. (Marked for q<sup>r</sup>. Sec. Corner  
 57.00 a W. Oak 12 " " in the line  
 66.00 a run 6 lks. wide Course East  
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which  
 a Beech 12 m. diam. bear S 31° E 31 lks. dist. of  
 a Sugar 11 " " " N 83° W 26 " "  
 Land rich, timber Beech, Oak & red gum &c.
- 

- East On Rand. between Sec. 29 & 32, T4N R5E.  
 40.00 Set temporary q<sup>r</sup>. Sec. post  
 76.00 a run 8 lks. wide Course East  
 80.49 Intersected the N. & S. line at the post  
 Land low level & wet Soil timber Beech &c.
- 

- West On true line between Sec. 29 & 32, T4N R5E.  
 40.24 1/2 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 10 m. diam. bear S 83° W 14 lks. dist. of  
 a do 16 " " " N 80° E 27 " "  
 80.49 to Sec. Cor.



T4st R5 E. 2<sup>d</sup> Mer. Indiana

West Between Secs. 30 &amp; 31

16.50 a run 6 lks. wide Course E.

24.29 at Beech 12 m. dist.

32.00 a run 8 lks. wide Course E.

40.00 let the q. Sec. post on knob, from which  
a Chest. Oak 18 m. dist. bear S 25 E 17 lks. dist. of  
a B. Oak 36 " " " S 5 E. 21 " "

57.25 at Beech 10 " "

60.00 a trace Course westerly

76.89 intersected the W. boundary 154 lks. N. of post  
let a post Cor. to Secs. 30 & 31, from which  
a Beech 20 m. dist. bear N 78 E 49 lks. dist. of  
a do 20 " " " S 30 E 43 " "  
Land part high hill, good Soil, timber Oak &c.

North Between Secs. 29 &amp; 30, T4 N. R5 E.

7.00 a trace Course Westerly

18.93 an Elm 16 m. dist.

40.00 let the q. Sec. post, from which  
a Hickory 14 m. dist. bear S 79 E 15 lks. dist. of  
a Fork Maple 20 " " " N 87 W 40 " "56.85 to river 300 lks. wide Cr. N.W. deep slow current  
Land overflow

71.65 a W. Oak 60 m. dist.

80.00 let a post in Swamp Cor. to Secs. 19, 20, 29 & 30, from which  
an Elm 20 m. dist. bear S 53 E 6 lks. dist. of  
a do 12 " " " N 70 W 20 " "

Land overflow, from 5 to 6 feet, timber Elm, Maple &amp;c

West Between Secs. 20 &amp; 29, T4 N. R5 E

21.75 to river 200 lks. wide Course N.E. deep slow current

East Between Secs. 20 &amp; 29

9.50 to River 250 lks. wide Cr. South not able to cross  
the River ice being in it

# T4N R5E, 2<sup>d</sup>. Mer. Indiana

West Between Secs. 19 & 20, T4N, R5E.

22.75 a Hickory 24 in. dia.

40.00 Set the q. Sec. post, from which  
an Elm 36 in. dia. bears N 8 E 15 lks. dist. of  
a Hickory 24 " " " S 36 W 46 " "

69.25 to River 250 lks. wide Course N.W. The river being  
part froze over, and not able to cross offered  
to the N. boundary as follows. North from 125 lks.  
East of the River, thence

North 13.50; thence West 6.50; Thence North  
77.80 3.50; thence West 3.30 to range line; thence South  
with the Range line 1.50 lks. to the River bank  
Set a post from which

a P. Oak 36 in. dia. bears S 76 E 2 lks. dist. of  
a Hickory 12 " " " S 87 W 3 " "  
Low wet land, overflowy Timber Maple &c.

North Between Secs. 19 & 20, T4N, R5E.

5.67 a Gum 36 in. dia.

26.00 a river bottom overflow 5 or 6 feet

40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bears S 74 W 200 lks. dist. of  
a Do 9 " " " S 71 E 26 " "

63.60 a Beech 20 " " in the line

70.75 a run 15 lks. wide Course W.

80.00 Set a post cor. to Secs. 17, 18, 19 & 20, from which  
a Beech 12 in. dia. bears S 46 E 22 lks. dist. of  
a Do 12 " " " S 57 W 15 " "  
Most part rich rolling land, timber Beech, Ash  
Sugar tree &c.

West On Land between Secs. 17 & 20, T4N, R5E.

40.00 Set temp. q. Sec. post

344

T4N R5E. 2<sup>d</sup>. Mer. Indiana

45.50 a run 15th. wide Course South  
 66.25 a do — " " N.W.  
 67.00 a do — " " South  
 80.50 Intersected the N & S. line 110 th. S. of post.  
 Land level rich, timber Beech &c.

East Connected between Sec. 17 & 20, T4N, R5E.  
 40.25 Set of. Sec. post at average dist. from which  
 a Beech 9 in. dia. bear N 80° W 4th. dist. of  
 a do 12 " " " East 18 " "  
 80.50 to Sec. Corner.

West Between Sec. 18 & 19, T4N, R5E.  
 12.44 a Beech 14 in. dia.  
 40.00 Set the of. Sec. post, from which  
 a Beech 11 in. dia. bear S 84° E 10 th. dist. of  
 a do 6 " " " N 70° W 16 " "  
 61.00 a Beech 26 " "  
 78.40 Intersected the N. boundary 87 th. S. of post  
 Set a post Cor. to Sec. 18 & 19, from which  
 a Beech 11 in. dia. is marked for Corner tree.  
 Land rich & rolling, timber Beech, Walnut, Ash  
 Sugar tree &c.

North Between Sec. 17 & 18, T4N, R5E.  
 20.60 a Beech 10 in. dia.  
 40.00 Set the of. Sec. post from which  
 a Beech 18 in. dia. bear S 63° E 4 th. dist. of  
 a do — " " " N 61° W 26 " "  
 55.89 a Beech 20 " "  
 80.00 Set a Beech 20 in. dia. is the Cor. to Sec. 17, 8,  
 17 & 18. Land hilly, timber Beech, Poplar, Oak  
 &c. Good Soil.

# Lot R5 E. 2<sup>n</sup>. Mer. Indiana

Nest On Rand<sup>m</sup>. between Sec. 8 & 17, T4 N. R5 E.

40.00 Let timber, q. Sec. post

80.59 Intersected the W. boundary on N & S. line 108 lks.  
N. of post. Land 1<sup>st</sup> post low wet brushy, 2<sup>nd</sup>.  
post more rolling, timber Beech, Oak &c.

East Corrected betw. Sec. 8 & 17, T4 N. R5 E.

40.29 Let q. Sec. post at average dist. from which  
a Beech 10 in. diam. bear N 42° W 10 lks. dist. of  
a W. Oak 12 " " " S 74° E 9 " "

80.59 to Sec. Corner

Nest Between Sec. 7 & 18, T4 N. R5 E.

14.22 a W. Oak 30 in. diam.

40.00 Let the q. Sec. post, from which  
a W. Oak 18 in. diam. bear N 81° E 9 lks. dist. of  
a Beech 5 " " " S 61° W 5 " "  
Low wet land timber Oak, Beech &c.

49.79 a W. Oak 36 in. diam.

79.59 Intersected the West. Boundary 179 lks. S. of post  
a Beech 12 in. diam. bear S 51° E 50 lks. dist. of  
a Do 9 " " " S 31° E 67 " "  
Land rich, timber Beech, Poplar Oak &c.

North Between Sec. 7 & 8, T4 N. R5 E. 2<sup>n</sup>. Mer.

13.69 a Beech 14 in. diam.

40.00 Let the q. Sec. post, from which  
a Beech 12 in. diam. bear S 10° W 32 lks. dist. of  
a Do 16 " " " N 22° W 6 " "

55.50 a Beech 20 " "

58.50 a run 10 lks. wide Course W.

59.00 to a Swamp

69.50 a run 15 lks. wide Course S. W.



T4N. R5E. 2<sup>d</sup>. Mer. Indiana

71.00 leave the Swamp  
 80.00 Set a post Cor. to Sec. 5, 6, 7 & 8, from which  
 a C. Oak 20 mi. dist. by S 74° W 8 lks. dist. of  
 a Beech 16 " " " S 80° E 45 " "  
 Land rich rolling timber Poplar, Beech &c.

East Out Rand<sup>m</sup>. between Sec. 5 & 8, T4N. R5E.

15.00 enter a Swamp  
 19.00 a slashy run 15 lks. wide Course S. W.  
 38.50 a run 30 lks. wide C. S. N. W. leave Swamp also  
 40.00 Set temp. q. Sec. post  
 55.16 a run 4 lks. wide Course S. W.  
 80.26 a No 6 " " " North  
 80.32 intersected the N & S. line 10 lks. S. of post  
 Land low & wet soil timber, Beech, Oak &c.

West Connected between Sec. 5 & 8, T4N. R5E.

40.16 Set the q. Sec. post at average dist. from which  
 an Elm 10 mi. dist. by S 2° E 12 lks. dist. of  
 a W — 26 " " " N 35° E 39 " "  
 80.32 to Sec. Corner Dec. 21<sup>st</sup> 1806.

West Between Sec. 6 & 7, T4N. R5E.

20.23 a Poplar 30 mi. dist.  
 40.00 Set the q. Sec. post, from which  
 a Beech 10 mi. dist. by S 58° E 5 lks. dist. of  
 an Oak 16 " " " N 85° W 11 " "  
 63.66 a Beech 11 " "  
 80.57 intersected the W. boundary 294 lks. S. of post  
 Set a post Cor. to Sec. 6 & 7, from which  
 a Beech 11 mi. dist. by S 66° E 32 lks. dist. of  
 a No 11 " " " N 58° W 25 " "  
 Land level rich timber Beech, Poplar &c.

# T4N R5E 2<sup>nd</sup> Mer. Indiana

North Between Sec. 5 & 6, T4N R5E 2<sup>nd</sup> Mer.

22.27 a W. Oak 40 in. diam. beam

40.00 let the q. Sec post, from which

a Beech 11 in. diam. beam 160 E 6 lks. dist. of

a No 30 " " " 170 N 25 " "

58.66 a Beech 24 " "

70.00 a run 10 lks. wide Course S. W.

81.46 Intersected the N. boundary 480 lks. N. of post.

let a post Cor. to Sec. 5 & 6, from which

a Beech 24 in. diam. beam 35 E 31 lks. dist. of

a No 6 " " " 155 W 45 " "

Land level, timber Beech, Oak, Gum, Ash, Hickory.  
Met soil.

Surveyed by Jos. H. Larwill and  
Jacob Fowler, Dep. Surveyors

Camp

(Historical)

18<sup>th</sup> Dec. (1806) rainy day we all lay by. 19<sup>th</sup>  
Isaac Linn was very sick and obliged to go to  
Camp, 2 1/4 miles from Camp. I continue survey  
(but) <sup>with</sup> 2 hands. 20<sup>th</sup> R. Perry gave out on the  
lines as he had a sore on his ankle. I worked  
with 2 hands, Elkison and Piles. 21<sup>st</sup> we  
make a bridge to cross the Muscokituck river  
being very high. We survey 1 1/2 miles and  
move 1/2 mile in Town 3. Jos. H. Larwill

I Certify that the foregoing transcript of field notes of Township N. 4 North, of Range N. 5 E. 2 Mer. Indiana, has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office  
Cincinnati, Sept. 30. 1844

P. P. Haines  
Sur. Genl.